


R-SB rendszerrugók JIS B 5012 szerint

Különleges terhelésre, színjel barna



Alapanyag: alakos szeleprugóacél-huzal (Cr-Si)

A rugók feszültségmentesek, a menetek vége zárt és köszörült.



Cikkszám	Huzal	Do	Di	Lo	R	A		B		C	
						16% Lo		18% Lo		24% Lo	
						1.000.000 löket	Kgf (N)	500.000 löket	Kgf (N)	300.000 löket	Kgf (N)
	mm	mm	mm	mm	Kgf/mm	mm	Kgf (N)	mm	Kgf (N)	mm	Kgf (N)
R-SB 10/5x20	2,35x2,25	10	5	20	11,25	3,2	36	3,6	41	4,0	45
R-SB 10/5x25				25	9,00	4,0	(353)	4,5	(402)	5,0	(441)
R-SB 10/5x30				30	7,50	4,8		5,4		6,0	
R-SB 10/5x35				35	6,43	5,6		6,3		7,0	
R-SB 10/5x40				40	5,63	6,4		7,2		8,0	
R-SB 10/5x45				45	5,00	7,2		8,1		9,0	
R-SB 10/5x50				50	4,50	8,0		9,0		10,0	
R-SB 10/5x55				55	4,09	8,8		9,9		11,0	
R-SB 10/5x60				60	3,75	9,6		10,8		12,0	
R-SB 10/5x65				65	3,47	10,4		11,7		13,0	
R-SB 10/5x70				70	3,21	11,2		12,6		14,0	
R-SB 10/5x75				75	3,00	12,0		13,5		15,0	
R-SB 10/5x80				80	2,82	12,8		14,4		16,0	
R-SB 12/6x20	2,7x2,42	12	6	20	14,50	3,2	46	3,6	52	4,0	58
R-SB 12/6x25				25	11,60	4,0	(451)	4,5	(510)	5,0	(569)
R-SB 12/6x30				30	9,67	4,8		5,4		6,0	
R-SB 12/6x35				35	8,29	5,6		6,3		7,0	
R-SB 12/6x40				40	7,25	6,4		7,2		8,0	
R-SB 12/6x45				45	6,44	7,2		8,1		9,0	
R-SB 12/6x50				50	5,80	8,0		9,0		10,0	
R-SB 12/6x55				55	5,27	8,8		9,9		11,0	
R-SB 12/6x60				60	4,83	9,6		10,8		12,0	
R-SB 12/6x65				65	4,44	10,4		11,7		13,0	
R-SB 12/6x70				70	4,13	11,2		12,6		14,0	
R-SB 12/6x75				75	3,85	12,0		13,5		15,0	
R-SB 12/6x80				80	3,61	12,8		14,4		16,0	
R-SB 14/7x25	3,25x2,77	14	7	25	15,00	4,0	60	4,5	68	5,0	75
R-SB 14/7x30				30	12,50	4,8	(588)	5,4	(667)	6,0	(736)
R-SB 14/7x35				35	10,72	5,6		6,3		7,0	
R-SB 14/7x40				40	9,38	6,4		7,2		8,0	
R-SB 14/7x45				45	8,34	7,2		8,1		9,0	
R-SB 14/7x50				50	7,50	8,0		9,0		10,0	
R-SB 14/7x55				55	6,82	8,8		9,9		11,0	
R-SB 14/7x60				60	6,25	9,6		10,8		12,0	
R-SB 14/7x65				65	5,77	10,4		11,7		13,0	
R-SB 14/7x70				70	5,36	11,2		12,6		14,0	
R-SB 14/7x75				75	5,00	12,0		13,5		15,0	
R-SB 14/7x80				80	4,69	12,8		14,4		16,0	
R-SB 14/7x90				90	4,17	14,4		16,2		18,0	

Cikkszám	Huzal	Do	Di	Lo	R	A		B		C	
						16% Lo		18% Lo		24% Lo	
						1.000.000 löket	Kgf (N)	500.000 löket	Kgf (N)	300.000 löket	Kgf (N)
mm	mm	mm	mm	Kgf/mm	mm	Kgf (N)	mm	Kgf (N)	mm	Kgf (N)	
R-SB 16/8x25	3,65x3,21	16	8	25	20,00	4,0	80	4,5	90	5,0	100
R-SB 16/8x30				30	16,67	4,8	(785)	5,4	(883)	6,0	(981)
R-SB 16/8x35				35	14,29	5,6		6,3		7,0	
R-SB 16/8x40				40	12,50	6,4		7,2		8,0	
R-SB 16/8x45				45	11,11	7,2		8,1		9,0	
R-SB 16/8x50				50	10,00	8,0		9,0		10,0	
R-SB 16/8x55				55	9,09	8,8		9,9		11,0	
R-SB 16/8x60				60	8,34	9,6		10,8		12,0	
R-SB 16/8x65				65	7,69	10,4		11,7		13,0	
R-SB 16/8x70				70	7,14	11,2		12,6		14,0	
R-SB 16/8x75				75	6,67	12,0		13,5		15,0	
R-SB 16/8x80				80	6,25	12,8		14,4		16,0	
R-SB 16/8x90				90	5,56	14,4		16,2		18,0	
R-SB 16/8x100				100	5,00	16,0		18,0		20,0	
R-SB 18/9x25	4,2x3,32	18	9	25	25,00	4,0	100	4,5	113	5,0	125
R-SB 18/9x30				30	20,84	4,8	(981)	5,4	(1108)	6,0	(1226)
R-SB 18/9x35				35	17,86	5,6		6,3		7,0	
R-SB 18/9x40				40	15,63	6,4		7,2		8,0	
R-SB 18/9x45				45	13,89	7,2		8,1		9,0	
R-SB 18/9x50				50	12,50	8,0		9,0		10,0	
R-SB 18/9x55				55	11,37	8,8		9,9		11,0	
R-SB 18/9x60				60	10,42	9,6		10,8		12,0	
R-SB 18/9x65				65	9,62	10,4		11,7		13,0	
R-SB 18/9x70				70	8,93	11,2		12,6		14,0	
R-SB 18/9x75				75	8,34	12,0		13,5		15,0	
R-SB 18/9x80				80	7,82	12,8		14,4		16,0	
R-SB 18/9x90				90	6,95	14,4		16,2		18,0	
R-SB 18/9x100				100	6,26	16,0		18,0		20,0	
R-SB 20/10x25	4,76x3,92	20	10	25	32,00	4,0	128	4,5	144	5,0	160
R-SB 20/10x30				30	26,67	4,8	(1255)	5,4	(1412)	6,0	(1569)
R-SB 20/10x35				35	22,86	5,6		6,3		7,0	
R-SB 20/10x40				40	20,00	6,4		7,2		8,0	
R-SB 20/10x45				45	17,78	7,2		8,1		9,0	
R-SB 20/10x50				50	16,00	8,0		9,0		10,0	
R-SB 20/10x55				55	14,55	8,8		9,9		11,0	
R-SB 20/10x60				60	13,33	9,6		10,8		12,0	
R-SB 20/10x65				65	12,31	10,4		11,7		13,0	
R-SB 20/10x70				70	11,43	11,2		12,6		14,0	
R-SB 20/10x75				75	10,67	12,0		13,5		15,0	
R-SB 20/10x80				80	10,00	12,8		14,4		16,0	
R-SB 20/10x90				90	8,89	14,4		16,2		18,0	
R-SB 20/10x100				100	8,00	16,0		18,0		20,0	
R-SB 20/10x125	125	6,40	20,0		22,5		25,0				
R-SB 20/10x150	150	5,33	24,0		27,0		30,0				

Cikkszám	Huzal	Do	Di	Lo	R	A		B		C	
						16% Lo	18% Lo	24% Lo			
						1.000.000 löket	500.000 löket	300.000 löket			
	mm	mm	mm	mm	Kgf/mm	mm	Kgf (N)	mm	Kgf (N)	mm	Kgf (N)
R-SB 22/11x25	5,25x4,25	22	11	25	39,00	4,0	156	4,5	176	5,0	195
R-SB 22/11x30				30	32,50	4,8	(1530)	5,4	(1726)	6,0	(1912)
R-SB 22/11x35				35	27,86	5,6		6,3		7,0	
R-SB 22/11x40				40	24,38	6,4		7,2		8,0	
R-SB 22/11x45				45	21,67	7,2		8,1		9,0	
R-SB 22/11x50				50	19,50	8,0		9,0		10,0	
R-SB 22/11x55				55	17,73	8,8		9,9		11,0	
R-SB 22/11x60				60	16,25	9,6		10,8		12,0	
R-SB 22/11x65				65	15,00	10,4		11,7		13,0	
R-SB 22/11x70				70	13,93	11,2		12,6		14,0	
R-SB 22/11x75				75	13,00	12,0		13,5		15,0	
R-SB 22/11x80				80	12,19	12,8		14,4		16,0	
R-SB 22/11x90				90	10,83	14,4		16,2		18,0	
R-SB 22/11x100				100	9,75	16,0		18,0		20,0	
R-SB 22/11x125				125	7,80	20,0		22,5		25,0	
R-SB 22/11x150	150	6,50	24,0		27,0		30,0				
R-SB 25/12,5x25	6,0x4,76	25	12,5	25	49,00	4,0	196	4,5	221	5,0	245
R-SB 25/12,5x30				30	40,80	4,8	(1922)	5,4	(2170)	6,0	(2400)
R-SB 25/12,5x35				35	35,00	5,6		6,3		7,0	
R-SB 25/12,5x40				40	30,60	6,4		7,2		8,0	
R-SB 25/12,5x45				45	27,20	7,2		8,1		9,0	
R-SB 25/12,5x50				50	24,50	8,0		9,0		10,0	
R-SB 25/12,5x55				55	22,30	8,8		9,9		11,0	
R-SB 25/12,5x60				60	20,40	9,6		10,8		12,0	
R-SB 25/12,5x65				65	18,80	10,4		11,7		13,0	
R-SB 25/12,5x70				70	17,50	11,2		12,6		14,0	
R-SB 25/12,5x75				75	16,30	12,0		13,5		15,0	
R-SB 25/12,5x80				80	15,30	12,8		14,4		16,0	
R-SB 25/12,5x90				90	13,60	14,4		16,2		18,0	
R-SB 25/12,5x100				100	12,30	16,0		18,0		20,0	
R-SB 25/12,5x125				125	9,80	20,0		22,5		25,0	
R-SB 25/12,5x150	150	8,17	24,0		27,0		30,0				
R-SB 25/12,5x175	175	7,00	28,0		31,5		35,0				
R-SB 27/13,5x25	6,8x5,27	27	13,5	25	58,00	4,0	232	4,5	261	5,0	290
R-SB 27/13,5x30				30	48,33	4,8	(2280)	5,4	(2560)	6,0	(2840)
R-SB 27/13,5x35				35	41,43	5,6		6,3		7,0	
R-SB 27/13,5x40				40	36,25	6,4		7,2		8,0	
R-SB 27/13,5x45				45	32,22	7,2		8,1		9,0	
R-SB 27/13,5x50				50	29,00	8,0		9,0		10,0	
R-SB 27/13,5x55				55	26,36	8,8		9,9		11,0	
R-SB 27/13,5x60				60	24,17	9,6		10,8		12,0	
R-SB 27/13,5x65				65	22,31	10,4		11,7		13,0	
R-SB 27/13,5x70				70	20,71	11,2		12,6		14,0	
R-SB 27/13,5x75				75	19,33	12,0		13,5		15,0	
R-SB 27/13,5x80				80	18,13	12,8		14,4		16,0	
R-SB 27/13,5x90				90	16,11	14,4		16,2		18,0	
R-SB 27/13,5x100				100	14,50	16,0		18,0		20,0	
R-SB 27/13,5x125				125	11,60	20,0		22,5		25,0	
R-SB 27/13,5x150	150	9,67	24,0		27,0		30,0				
R-SB 27/13,5x175	175	8,28	28,0		31,5		35,0				

Cikkszám	Huzal	Do	Di	Lo	R	A		B		C	
						16% Lo		18% Lo		24% Lo	
						1.000.000 löket		500.000 löket		300.000 löket	
mm	mm	mm	mm	Kgf/mm	mm	Kgf (N)	mm	Kgf (N)	mm	Kgf (N)	
R-SB 30/15x25	7,3x5,76	30	15	25	72,00	4,0	288	4,5	324	5,0	360
R-SB 30/15x30				30	60,00	4,8	(2820)	5,4	(3180)	6,0	(3530)
R-SB 30/15x35				35	51,43	5,6		6,3		7,0	
R-SB 30/15x40				40	45,00	6,4		7,2		8,0	
R-SB 30/15x45				45	40,00	7,2		8,1		9,0	
R-SB 30/15x50				50	36,00	8,0		9,0		10,0	
R-SB 30/15x55				55	32,72	8,8		9,9		11,0	
R-SB 30/15x60				60	30,00	9,6		10,8		12,0	
R-SB 30/15x65				65	27,69	10,4		11,7		13,0	
R-SB 30/15x70				70	25,71	11,2		12,6		14,0	
R-SB 30/15x75				75	24,00	12,0		13,5		15,0	
R-SB 30/15x80				80	22,50	12,8		14,4		16,0	
R-SB 30/15x90				90	20,00	14,4		16,2		18,0	
R-SB 30/15x100				100	18,00	16,0		18,0		20,0	
R-SB 30/15x125				125	14,40	20,0		22,5		25,0	
R-SB 30/15x150				150	12,00	24,0		27,0		30,0	
R-SB 30/15x175	175	10,28	28,0		31,5		35,0				
R-SB 30/15x200	200	9,00	32,0		36,0		40,0				
R-SB 35/17,5x40	8,5x6,62	35	17,5	40	61,25	6,4	392	7,2	441	8,0	490
R-SB 35/17,5x45				45	54,44	7,2	(384)	8,1	(4320)	9,0	(4810)
R-SB 35/17,5x50				50	49,00	8,0		9,0		10,0	
R-SB 35/17,5x55				55	44,54	8,8		9,9		11,0	
R-SB 35/17,5x60				60	40,83	9,6		10,8		12,0	
R-SB 35/17,5x65				65	37,69	10,4		11,7		13,0	
R-SB 35/17,5x70				70	35,00	11,2		12,6		14,0	
R-SB 35/17,5x75				75	32,67	12,0		13,5		15,0	
R-SB 35/17,5x80				80	30,62	12,8		14,4		16,0	
R-SB 35/17,5x90				90	27,22	14,4		16,2		18,0	
R-SB 35/17,5x100				100	24,50	16,0		18,0		20,0	
R-SB 35/17,5x125				125	19,60	20,0		22,5		25,0	
R-SB 35/17,5x150				150	16,33	24,0		27,0		30,0	
R-SB 35/17,5x175				175	14,00	28,0		31,5		35,0	
R-SB 35/17,5x200				200	12,25	32,0		36,0		40,0	
R-SB 40/20x40				10,0x7,8	40	20	40	80,00	6,4	512	7,2
R-SB 40/20x45	45	71,13	7,2				(5020)	8,1	(5650)	9,0	(6280)
R-SB 40/20x50	50	64,00	8,0					9,0		10,0	
R-SB 40/20x55	55	58,20	8,8					9,9		11,0	
R-SB 40/20x60	60	53,33	9,6					10,8		12,0	
R-SB 40/20x65	65	49,24	10,4					11,7		13,0	
R-SB 40/20x70	70	45,71	11,2					12,6		14,0	
R-SB 40/20x75	75	42,68	12,0					13,5		15,0	
R-SB 40/20x80	80	40,00	12,8					14,4		16,0	
R-SB 40/20x90	90	35,55	14,4					16,2		18,0	
R-SB 40/20x100	100	32,00	16,0					18,0		20,0	
R-SB 40/20x125	125	25,60	20,0					22,5		25,0	
R-SB 40/20x150	150	21,33	24,0					27,0		30,0	
R-SB 40/20x175	175	18,28	28,0					31,5		35,0	
R-SB 40/20x200	200	16,00	32,0					36,0		40,0	
R-SB 40/20x250	250	12,80	40,0					45,0		50,0	

Cikkszám	Huzal	Do	Di	Lo	R	A		B		C	
						16% Lo		18% Lo		24% Lo	
						1.000.000 löket		500.000 löket		300.000 löket	
mm	mm	mm	mm	Kgf/mm	mm	Kgf (N)	mm	Kgf (N)	mm	Kgf (N)	
R-SB 50/25x50	12,0x9,55	50	25	50	100,00	8,0	800	9,0	900	10,0	1000
R-SB 50/25x55				55	90,95	8,8	(7850)	9,9	(8830)	11,0	(9810)
R-SB 50/25x60				60	83,33	9,6		10,8		12,0	
R-SB 50/25x65				65	76,96	10,4		11,7		13,0	
R-SB 50/25x70				70	71,42	11,2		12,6		14,0	
R-SB 50/25x75				75	66,70	12,0		13,5		15,0	
R-SB 50/25x80				80	62,50	12,8		14,4		16,0	
R-SB 50/25x90				90	55,55	14,4		16,2		18,0	
R-SB 50/25x100				100	50,00	16,0		18,0		20,0	
R-SB 50/25x125				125	40,00	20,0		22,5		25,0	
R-SB 50/25x150				150	33,33	24,0		27,0		30,0	
R-SB 50/25x175				175	28,57	28,0		31,5		35,0	
R-SB 50/25x200				200	25,00	32,0		36,0		40,0	
R-SB 50/25x250				250	20,00	40,0		45,0		50,0	
R-SB 50/25x300				300	16,66	48,0		54,0		60,0	
R-SB 60/30x60	14,5x11,7	60	30	60	120,00	9,6	1152	10,8	1296	12,0	1440
R-SB 60/30x70				70	102,86	11,2	(11300)	12,6	(12710)	14,0	(14120)
R-SB 60/30x80				80	90,00	12,8		14,4		16,0	
R-SB 60/30x90				90	80,00	14,4		16,2		18,0	
R-SB 60/30x100				100	72,00	16,0		18,0		20,0	
R-SB 60/30x125				125	57,60	20,0		22,5		25,0	
R-SB 60/30x150				150	48,00	24,0		27,0		30,0	
R-SB 60/30x175				175	41,14	28,0		31,5		35,0	
R-SB 60/30x200				200	36,00	32,0		36,0		40,0	
R-SB 60/30x250				250	28,80	40,0		45,0		50,0	
R-SB 60/30x300				300	24,00	48,0		54,0		60,0	